was obtained prior to participation in the study.

- (ii) All relevant observations, including records concerning adverse device effects (whether anticipated or unanticipated), information and data on the condition of each subject upon entering, and during the course of, the investigation, including information about relevant previous medical history and the results of all diagnostic tests.
- (iii) A record of the exposure of each subject to the investigational device, including the date and time of each use, and any other therapy.
- (4) The protocol, with documents showing the dates of and reasons for each deviation from the protocol.
- (5) Any other records that FDA requires to be maintained by regulation or by specific requirement for a category of investigations or a particular investigation.
- (b) Sponsor records. A sponsor shall maintain the following accurate, complete, and current records relating to an investigation:
- (1) All correspondence with another sponsor, a monitor, an investigator, an IRB, or FDA, including required reports.
- (2) Records of shipment and disposition. Records of shipment shall include the name and address of the consignee, type and quantity of device, date of shipment, and batch number or code mark. Records of disposition shall describe the batch number or code marks of any devices returned to the sponsor, repaired, or disposed of in other ways by the investigator or another person, and the reasons for and method of disposal.
- (3) Signed investigator agreements including the financial disclosure information required to be collected under §812.43(c)(5) in accordance with part 54 of this chapter.
- (4) For each investigation subject to §812.2(b)(1) of a device other than a significant risk device, the records described in paragraph (b)(5) of this section and the following records, consolidated in one location and available for FDA inspection and copying:
- (i) The name and intended use of the device and the objectives of the investigation:

- (ii) A brief explanation of why the device is not a significant risk device:
- (iii) The name and address of each investigator:
- (iv) The name and address of each IRB that has reviewed the investigation:
- (v) A statement of the extent to which the good manufacturing practice regulation in part 820 will be followed in manufacturing the device; and
- (vi) Any other information required by FDA.
- (5) Records concerning adverse device effects (whether anticipated or unanticipated) and complaints and
- (6) Any other records that FDA requires to be maintained by regulation or by specific requirement for a category of investigation or a particular investigation.
- (c) *IRB records*. An IRB shall maintain records in accordance with part 56 of this chapter.
- (d) Retention period. An investigator or sponsor shall maintain the records required by this subpart during the investigation and for a period of 2 years after the latter of the following two dates: The date on which the investigation is terminated or completed, or the date that the records are no longer required for purposes of supporting a premarket approval application or a notice of completion of a product development protocol.
- (e) Records custody. An investigator or sponsor may withdraw from the responsibility to maintain records for the period required in paragraph (d) of this section and transfer custody of the records to any other person who will accept responsibility for them under this part, including the requirements of §812.145. Notice of a transfer shall be given to FDA not later than 10 working days after transfer occurs.

[45 FR 3751, Jan. 18, 1980, as amended at 45 FR 58843, Sept. 5, 1980; 46 FR 8957, Jan. 27, 1981; 61 FR 57280, Nov. 5, 1996; 63 FR 5253, Feb. 2, 1998]

§812.145 Inspections.

(a) Entry and inspection. A sponsor or an investigator who has authority to grant access shall permit authorized FDA employees, at reasonable times and in a reasonable manner, to enter and inspect any establishment where

§812.150

devices are held (including any establishment where devices are manufactured, processed, packed, installed, used, or implanted or where records of results from use of devices are kept).

- (b) Records inspection. A sponsor, IRB, or investigator, or any other person acting on behalf of such a person with respect to an investigation, shall permit authorized FDA employees, at reasonable times and in a reasonable manner, to inspect and copy all records relating to an investigation.
- (c) Records identifying subjects. An investigator shall permit authorized FDA employees to inspect and copy records that identify subjects, upon notice that FDA has reason to suspect that adequate informed consent was not obtained, or that reports required to be submitted by the investigator to the sponsor or IRB have not been submitted or are incomplete, inaccurate, false, or misleading.

$\S 812.150$ Reports.

- (a) Investigator reports. An investigator shall prepare and submit the following complete, accurate, and timely reports:
- (1) Unanticipated adverse device effects. An investigator shall submit to the sponsor and to the reviewing IRB a report of any unanticipated adverse device effect occurring during an investigation as soon as possible, but in no event later than 10 working days after the investigator first learns of the effect.
- (2) Withdrawal of IRB approval. An investigator shall report to the sponsor, within 5 working days, a withdrawal of approval by the reviewing IRB of the investigator's part of an investigation.
- (3) Progress. An investigator shall submit progress reports on the investigation to the sponsor, the monitor, and the reviewing IRB at regular intervals, but in no event less often than yearly.
- (4) Deviations from the investigational plan. An investigator shall notify the sponsor and the reviewing IRB (see §56.108(a) (3) and (4)) of any deviation from the investigational plan to protect the life or physical well-being of a subject in an emergency. Such notice shall be given as soon as possible, but in no event later than 5 working days

- after the emergency occurred. Except in such an emergency, prior approval by the sponsor is required for changes in or deviations from a plan, and if these changes or deviations may affect the scientific soundness of the plan or the rights, safety, or welfare of human subjects, FDA and IRB in accordance with \$12.35(a) also is required.
- (5) Informed consent. If an investigator uses a device without obtaining informed consent, the investigator shall report such use to the sponsor and the reviewing IRB within 5 working days after the use occurs.
- (6) Final report. An investigator shall, within 3 months after termination or completion of the investigation or the investigator's part of the investigation, submit a final report to the sponsor and the reviewing IRB.
- (7) Other. An investigator shall, upon request by a reviewing IRB or FDA, provide accurate, complete, and current information about any aspect of the investigation.
- (b) *Sponsor reports*. A sponsor shall prepare and submit the following complete, accurate, and timely reports:
- (1) Unanticipated adverse device effects. A sponsor who conducts an evaluation of an unanticipated adverse device effect under §812.46(b) shall report the results of such evaluation to FDA and to all reviewing IRB's and participating investigators within 10 working days after the sponsor first receives notice of the effect. Thereafter the sponsor shall submit such additional reports concerning the effect as FDA requests.
- (2) Withdrawal of IRB approval. A sponsor shall notify FDA and all reviewing IRB's and participating investigators of any withdrawal of approval of an investigation or a part of an investigation by a reviewing IRB within 5 working days after receipt of the withdrawal of approval.
- (3) Withdrawal of FDA approval. A sponsor shall notify all reviewing IRB's and participating investigators of any withdrawal of FDA approval of the investigation, and shall do so within 5 working days after receipt of notice of the withdrawal of approval.
- (4) Current investigator list. A sponsor shall submit to FDA, at 6-month intervals, a current list of the names and